

Revolutionary and cutting-edge digital displays.





MORE BANG FOR YOUR BUCK

Our digital displays simply have more pixels.

32,768 pixels

4'x8' 9mm SS Display

73,728 pixels


4'x8' 6mm SS Display

131,072 pixels


4'x8' 4mm SS Display

9,216 pixels

Traditional 4'x8' 16mm SS Display




Advanced solid-state technology.



Exceptional performance & longevity.



No moving parts equals rock solid reliability. Each panel is IP67 rated for the toughest environments, meaning through rain, heat, or snow, you can have confidence that your display is up and running.



60% LIGHTER


Easy installs.

Our modular architecture and aluminum frame system make our displays the lightest on the market.

60% lighter than the competition, which makes installation a breeze.

A traditional 4'x8' double-sided display weighs about 814 lbs.

Our modular doublesided display weighs only a fraction of that at **320 lbs**.




Premium components made in the United States, assembled and certified in Canada, on Vancouver Island

The component manufacturing process utilizes one of the most advanced Surface Mount Robotic production assembly lines in the world and uses the highest quality globally sources components.

Honeycombed structure that reduces contraction and expansion in different environmental conditions.



Every mod has advanced software embedded on a chip with a high speed micro-processor.



Future-proof and lightweight modular architecture laser cut down to the millimeter with edge-to-edge viewing area and IP67 rated for the toughest environments.



Advanced and almost unbreakable stepped louver design that displaces light and provides better contrast.



The most advanced controller on the market with auto-mapping, automated diagnostic notifications, cellular/Wifi, and power cycling on board.




























COLOR	281 Trillion
RESOLUTION (PITCH)	9, 6, and 4mm
BRIGHTNESS (NITS)	5500-7500
PANEL DIMENSIONS	24"W / 12"H / 4"D / 9.82lbs
MODULE MATRIX	9mm 32x64 / 6mm 48x96 / 4mm 64x128
MAX WATTS PER PANEL	9mm 105W / 6mm 115W / 4mm 130W
MIN VIEWING DISTANCE	9mm 12ft / 6mm 8ft / 4mm 4ft
VIEWING ANGLE	160° Horizontal / 90° Vertical
REFRESH RATE	60 FPS
AC INPUT	Universal AC input (90-264VAC input range)
WIFI CONNECTION	TP Link long-range high power bridge
CELLULAR BROADBAND	5 Year cellular broadband available
APPROVALS	FCC, UL 879, CAN/CSA-C22.2 No. 207-M89
DISPLAY LIFE SPAN	100,000 Hours
WARRANTY	5 Year hardware / 5 Year service (optional)

The revolutionary display with more pixels.

Our systems can be hard-wire LAN connected, wireless & Cellular! All systems come with 5 year cellular subscription for ease of use and install. Install these anywhere there is sufficient power and network signal. Easy to use software that can be used and updated anywhere in the world! Plan your messages and systems easily and quickly.

Amazing full color 9mm pixel digital message centres. Display systems that provide flexibility and scalability. Our systems are composite assemblies of panels 1' tall x 2' wide that we assemble into signs 4' tall x 8' wide or up to 40' tall x 200' wide. Call us to order yours today! 1-833-464-7268



Grant Illuminated Signs Ltd.

1711-19th Ave Campbell River, BC V9W4M4

www.grantsigns.ca

phone: 1-250-287-8558 fax: 1-250-286-1522 email: sales@grantsigns.ca

CONTACT US

1-833-464-7268

